



MATERIAL SAFETY DATA SHEET HI COVER CONTRACTORS PVA

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: HI COVER CONTRACTORST PVA
Supplier/Manufacturer: PRO-PAINT MANUFACTURING (PTY) LTD
Address: 4 INDUSTRIAL CRESCENTS
BRONKHORSTSPRUIT
1020
Tel: 013 932 0020
Fax: 013 932 2254

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Class: Emulsion Based Paint
Classification: Not Classed as hazardous
R Phrases: None
S Phrases: S2, 24/25
Hazardous Components: No significant quantity of any classified hazardous substance present.

3. HAZARDS IDENTIFICATION

SAPMA Health Rating: 4-Minimal – No great risk to health.
Human Health Hazards: Inhalation: Avoid exposure to vapours, fumes and mists
Eyes: May cause slight irritation, any possible contact to be avoided.
Ingestion: May cause irritation and nausea
Skin: No hazard expected if used in moderation, direct contact to be avoided.
Environmental Hazards: No records of chronic effects found, so considered low hazard. Non-toxic but can have undesirable environmental side effects so a lot of care must be taken with disposal.

4. FIRST AID MEASURES

General: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.



PROTECTION WHERE YOU NEED IT!

Limitation of liability applies. Refer to annexure for full disclosure.
April 2009 - INDUSTRIAL RANGE - HB EPOXY PIPE COAT - revision 1 of 2009.



Inhalation

Move to a safe area with fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Give nothing by mouth. If unconscious, place in recovery position and seek medical advice.

Eye Contact

Rinse thoroughly with water for at least 10 minutes. Seek medical attention.

Ingestion

Do not induce vomiting. Keep person warm and at rest. Seek medical advice immediately and show the container or label.

Skin Contact

Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do not use solvents or thinners.

5. FIRE-FIGHTING MEASURES

* This paint is non-flammable.

* Expect no direct explosion hazard. Use CO₂, dry powder, foam or water.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ventilate the area. Avoid breathing in vapours.

Spill

Contain and collect spillage with absorbent material. Dispose of according to local regulations. Do not allow spillage to enter sewerage drains or watercourses.

7. HANDLING AND STORAGE

Handling

Keep container tightly closed. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. After handling the material, workers should wash hands and face before eating, drinking and smoking. Always comply with health and safety regulations.

Storage

Store in original container. Observe label precautions. Store in a cool, well-ventilated area away from incompatible materials and ignition sources. Keep away from oxidizing agents, strong alkaline and acids. No smoking. Containers which have been opened must be carefully resealed and kept upright to prevent leakage.



PROTECTION WHERE YOU NEED IT!

Limitation of liability applies. Refer to annexure for full disclosure.
April 2009 - INDUSTRIAL RANGE - HB EPOXY PIPE COAT - revision 1 of 2009.



8. EXPOSURE CONTROL/PERSONAL PROTECTION

SAPMA Rating

4-H-C PPE- eye protection/Respirator

Personal Protective Equipment

Respiration

In case of insufficient ventilation, suitable respiratory protection must be used.

Eyes

Never touch eyes with dirty hands or gloves.

Avoid direct contact.

Ingestion

Wash hands before drinking, eating or smoking, observe normal hygiene.

Skin

As far as possible avoid contact, if contact occurs, wash immediately.

9. PHYSICAL AND CHEMICAL PROPERTIES

SAPMA Rating

Viscous Liquid in various colours

Flash Point (° Celsius)

Not flammable

Dilution/Wash up

Water

Density

1.15-1.35

pH

8.5-9.5

10. STABILTY AND REACTIVITY

Stability

Stable under recommended storage and handling conditions.

Conditions to Avoid

Excessive heat – store below 30°C.

Materials to Avoid

Oxidizing agents, strong alkaline or acidic materials.

11. TOXICOLOGICAL INFORMATION

* No records of chronic effects found.

12. ECOLOGICAL INFORMATION

* Product is considered a water pollutant. Do not allow to enter drains or watercourses.

13. DISPOSAL CONSIDERATIONS

* Do not allow to enter drains or watercourses.

* Dispose of according to national and local applicable regulations.

* Empty containers are suitable for recycling. but caution must be exercised in the disposal of used containers



PROTECTION WHERE YOU NEED IT!

Limitation of liability applies. Refer to annexure for full disclosure.
April 2009 - INDUSTRIAL RANGE - HB EPOXY PIPE COAT - revision 1 of 2009.



14. PHYSICAL AND CHEMICAL PROPERTIES

SIN/UN Number	Not classified as dangerous for transport
Shipping Name	Not classified
Packaging Group	Not classified
Class	Not classified as hazardous

15. REGULATORY INFORMATION

Classification	Not classified as hazardous
S2	Keep out of reach of children
S24/25	Avoid contact with eyes and skin

16. OTHER INFORMATION

Take precautionary measures against static discharges. In case of any discomfort always seek medical advice. The information in this SDS is based on the present state of our knowledge and on current national laws. The product is not to be used for purposes other than those specified under Section 1. without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this SDS is meant as a description of the safety requirements of our product – it is not to be considered as a guarantee of the product's properties. No responsibility is accepted for errors or omissions or the consequences thereof.



PROTECTION WHERE YOU NEED IT!

Limitation of liability applies. Refer to annexure for full disclosure.
April 2009 - INDUSTRIAL RANGE - HB EPOXY PIPE COAT - revision 1 of 2009.